

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2024

Print date: 6 Dec 2024

Version: 2.0



Page 1/10

## Blacking Gel Antik Black

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name/designation:**

Blacking Gel Antik Black

**UFI:**

XM00-Q0NC-V000-FY6J

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture:**

Plating agents and metal surface treating agents  
Blacking solution for brass, bronze, copper

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

**LUPUS-Professional**

Hochstraße 150

47877 Willich

GERMANY

**Telephone:** +49 (0) 21 54 - 81 25 93

**Telefax:** +49 (0) 21 54 - 81 25 94

**E-mail:** info@lupus-pro.de

**Website:** www.lupus-pro.de

**E-mail (competent person):** info@lupus-pro.de

#### 1.4 Emergency phone number

24h: +49 (0) 551 19240 (german and english)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	Calculation
Corrosive to metals ( <i>Met. Corr. 1</i> )	H290: May be corrosive to metals.	Calculation
Acute toxicity (oral) ( <i>Acute Tox. 4</i> )	H302: Harmful if swallowed.	Calculation

#### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



**GHS05**

Corrosion



**GHS07**

Exclamation mark



**GHS09**

Environment

**Signal word:** Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2024

Print date: 6 Dec 2024

Version: 2.0



Page 2/10

## Blacking Gel Antik Black

### Hazard components for labelling:

selenium dioxide; hydrogen chloride; copper sulphate

#### Hazard statements for physical hazards

H290 May be corrosive to metals.

#### Hazard statements for health hazards

H302 Harmful if swallowed.

#### Hazard statements for environmental hazards

H411 Toxic to aquatic life with long lasting effects.

### Supplemental hazard information: none

#### Precautionary statements - General

P102 Keep out of reach of children.

#### Precautionary statements - Prevention

P261 Avoid breathing vapours and spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary statements - Response

P301+P312 IF SWALLOWED: Call a doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

#### Precautionary statements - Disposal

P501 Dispose of contents/container to hazardous or special waste collection point.

### 2.3 Other hazards

#### Adverse human health effects and symptoms:

May cause skin irritation. May cause eye irritation.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Description:

inorganic salts in aqueous solution

#### Ingredients:

Product identifiers	Substance name Classification according to Regulation (EC) No. 1272/2008 [CLP]	Content
CAS No.: 7446-08-4 EC No.: 231-194-7	<b>selenium dioxide</b> Acute Tox. 3 (H301, H331), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), STOT RE 2 (H373) Danger <b>Acute Toxicity Estimate</b> ATE (oral) 100 mg/kg ATE (inhalation, vapour) 3 mg/L ATE (inhalation, dust/mist) 0.5 mg/L	1 - 5 weight-%
CAS No.: 7758-98-7 EC No.: 231-847-6 Index No.: 029-004-00-0 REACH No.: 01-2119520556-40	<b>copper sulphate</b> Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Irrit. 2 (H319), Skin Irrit. 2 (H315) Warning <b>Acute Toxicity Estimate</b> ATE (oral) 500 mg/kg	< 2 weight-%

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2024


Print date: 6 Dec 2024

Version: 2.0



Page 3/10

## Blacking Gel Antik Black

Product identifiers	Substance name Classification according to Regulation (EC) No. 1272/2008 [CLP]	Content
CAS No.: 7647-01-0 EC No.: 231-595-7 REACH No.: 01-2119484862-27	<b>hydrogen chloride</b> Met. Corr. 1 (H290), STOT SE 3 (H335), Skin Corr. 1B (H314)  Danger <b>Specific concentration limit (SCL)</b> Met. Corr. 1; H290: $C \geq 0.1\%$ Eye Irrit. 2; H319: $10\% \leq C < 25\%$ Skin Irrit. 2; H315: $10\% \leq C < 25\%$ STOT SE 3; H335: $C \geq 10\%$ Skin Corr. 1B; H314: $C \geq 25\%$	< 1 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

#### Following inhalation:

Provide fresh air. Get medical advice/attention if you feel unwell.

#### In case of skin contact:

Take off contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Get medical advice/attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed. May cause skin irritation. May cause eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media:

Coordinate fire-fighting measures to the fire surroundings.

### 5.2 Special hazards arising from the substance or mixture

May be corrosive to metals. The product is not combustible

#### Hazardous combustion products:

In case of fire may be liberated: Gases/vapours, toxic

### 5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

##### Personal precautions:

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes. Special danger of slipping by leaking/spilling product. Remove persons to safety.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 6 Dec 2024

**Print date:** 6 Dec 2024

**Version:** 2.0



Page 4/10

## Blacking Gel Antik Black

### Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection. See section 8.

### 6.1.2 For emergency responders

#### Personal protection equipment:

Personal protection equipment: see section 8

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

### 6.3 Methods and material for containment and cleaning up

#### For containment:

Wipe with absorbent material (e.g. cloth, fleece). Handling larger quantities: Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### For cleaning up:

Water

### 6.4 Reference to other sections

Safe handling: see section 7.

Personal protection equipment: see section 8.

Disposal: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Protective measures

#### Advices on safe handling:

Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment (refer to section 8).

#### Fire prevent measures:

No special measures are necessary.

#### Environmental precautions:

Discharge into the environment must be avoided.

#### Advices on general occupational hygiene

When using do not eat, drink or smoke. Wash hands and face before breaks and after work and take a shower if necessary. Apply skin care products after work.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed. Store in a cool dry place.

#### Requirements for storage rooms and vessels:

Floors should be impervious, resistant to liquids and easy to clean. Keep/Store only in original container.

#### Hints on storage assembly:

Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

#### Recommendation:

Plating agents and metal surface treating agents

Observe instructions for use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2024

Print date: 6 Dec 2024

Version: 2.0



Page 5/10

## Blacking Gel Antik Black

### SECTION 8: Exposure controls / Personal protection

#### 8.1 Control Parameters

##### 8.1.1 Occupational exposure limit values

Limit value type (country)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
WEL (GB) from 5 Sept 2022	<b>selenium dioxide</b> CAS No.: 7446-08-4 EC No.: 231-194-7	① 0.1 mg/m <sup>3</sup>
WEL (GB)	<b>copper sulphate</b> CAS No.: 7758-98-7 EC No.: 231-847-6	① 0.2 mg/m <sup>3</sup> ⑤ (Smoke)
WEL (GB)	<b>copper sulphate</b> CAS No.: 7758-98-7 EC No.: 231-847-6	① 1 mg/m <sup>3</sup> ② 2 mg/m <sup>3</sup> ⑤ (Dusts and mist calculated as Cu)
IOELV (EU) from 2 Jan 1900	<b>hydrogen chloride</b> CAS No.: 7647-01-0 EC No.: 231-595-7	① 5 ppm (8 mg/m <sup>3</sup> ) ② 10 ppm (15 mg/m <sup>3</sup> )
WEL (GB)	<b>hydrogen chloride</b> CAS No.: 7647-01-0 EC No.: 231-595-7	① 1 ppm (2 mg/m <sup>3</sup> ) ② 5 ppm (8 mg/m <sup>3</sup> ) ⑤ (gas and aerosol mists)

##### 8.1.2 Biological limit values

No data available.

##### 8.1.3 DNEL-/PNEC-values

No data available.

#### 8.2 Exposure controls

##### 8.2.1 Appropriate engineering controls

See section 7. No additional measures necessary.

##### 8.2.2 Personal protection equipment



##### Eye/face protection:

Eye glasses with side protection (EN 166).

##### Skin protection:

Wear suitable gloves (EN ISO 374).

Suitable material: NBR (Nitrile rubber)

Material thickness: 0,11 mm

Breakthrough time: > 480 min

Breakthrough times and swelling properties of the material must be taken into consideration. Check leak tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. In the case of wanting to use the gloves again, clean them before taking off and air them well.

##### Respiratory protection:

Usually no personal respiratory protection necessary. Provide adequate ventilation. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Filtering device (full mask or mouthpiece) with filter: E-P2

##### Other protection measures:

Wear suitable protective clothing.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2024

Print date: 6 Dec 2024

Version: 2.0



Page 6/10

## Blacking Gel Antik Black

### 8.2.3 Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Physical state:** liquid

**Form:** liquid

**Colour:** blue

**Odour:** characteristic

**Flammability:** No

#### Safety relevant basic data

Parameter	Value	at	① Method ② Remark
pH	3	20 °C	
Melting point	No data available.		
Freezing point	No data available.		
Initial boiling point and boiling range	> 100 °C		
Flash point	Not applicable.		
Evaporation rate	No data available.		
Auto-ignition temperature	Not applicable.		
Upper/lower Flammability or explosive limits	Not applicable.		
Vapour pressure	23 hPa	20 °C	
Vapour density	No data available.		
Density	≈ 1.15 g/cm <sup>3</sup>	20 °C	
Bulk density	Not applicable.		
Water solubility	completely miscible		
Dynamic viscosity	No data available.		
Kinematic viscosity	No data available.		

### 9.2 Other information

No data available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

May be corrosive to metals. The product is not combustible

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

Heat, UV-radiation/sunlight.

### 10.5 Incompatible materials

Oxidising agent, strong; Acid, concentrated

### 10.6 Hazardous decomposition products

No known hazardous decomposition products. In case of fire may be liberated: Gases/vapours, toxic

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity:

Harmful if swallowed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 6 Dec 2024

**Print date:** 6 Dec 2024

**Version:** 2.0



Page 7/10

## Blacking Gel Antik Black

### **Acute dermal toxicity:**

Based on available data, the classification criteria are not met.

### **Acute inhalation toxicity:**

Based on available data, the classification criteria are not met.

### **Skin corrosion/irritation:**

Based on available data, the classification criteria are not met.  
May cause skin irritation.

### **Serious eye damage/irritation:**

Based on available data, the classification criteria are not met.  
May cause eye irritation.

### **Respiratory or skin sensitisation:**

Based on available data, the classification criteria are not met.

### **Germ cell mutagenicity:**

Based on available data, the classification criteria are not met.

### **Carcinogenicity:**

Based on available data, the classification criteria are not met.

### **Reproductive toxicity:**

Based on available data, the classification criteria are not met.

### **STOT-single exposure:**

Based on available data, the classification criteria are not met.

### **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

### **Aspiration hazard:**

Based on available data, the classification criteria are not met.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties:**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

#### **Aquatic toxicity:**

Toxic to aquatic life with long lasting effects.

#### **Additional ecotoxicological information:**

No data available.

### **12.2 Persistence and degradability**

#### **Biodegradation:**

No data available.

### **12.3 Bioaccumulative potential**

#### **Accumulation / Evaluation:**

No indication of bioaccumulation potential.

### **12.4 Mobility in soil**

No data available.

### **12.5 Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **12.6 Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### **12.7 Other adverse effects**

No data available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2024

Print date: 6 Dec 2024

Version: 2.0



Page 8/10

## Blacking Gel Antik Black

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Waste treatment options

###### Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.









###### Appropriate disposal / Package:

Completely emptied packages can be recycled.

###### Other disposal recommendations:

The allocation of waste code numbers / waste names must be carried out in accordance with the European Waste Catalogue (EWC). Do not allow to enter into surface water or drains. Collect in closed and suitable containers for disposal. Waste for disposal is to be classified and labelled.

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI-/IATA-DGR)
<b>14.1 UN number or ID number</b>			
UN 1760	UN 1760	UN 1760	UN 1760
<b>14.2 UN proper shipping name</b>			
CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)	CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)	CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)	CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)
<b>14.3 Transport hazard class(es)</b>			
 8	 8	 8	 8
<b>14.4 Packing group</b>			
III	III	III	III
<b>14.5 Environmental hazards</b>			
		 MARINE POLLUTANT	
<b>14.6 Special precautions for user</b>			
No data available.	No data available.	No data available.	No data available.

#### 14.7 Maritime transport in bulk according to IMO instruments

not relevant

##### Additional information:

Transport as "Limited Quantity" according to chapter 3.4 ADR/RID.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1 EU legislation

###### Authorisations:

Contains no substances listed in REACH Annex XIV.

###### Restrictions on use:

Contains no substances subject to the restrictions of Annex XVII of the REACH Regulation.

###### Other regulations (EU):

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 6 Dec 2024

**Print date:** 6 Dec 2024

**Version:** 2.0



Page 9/10

## Blacking Gel Antik Black

The product does not contain substances of very high concern (SVHC)  $\geq 0,1$  %.

VOC content (EU): 0,00 %

### 15.1.2 National regulations

No data available.

### 15.2 Chemical Safety Assessment

No data available.

## SECTION 16: Other information

### 16.1 Indication of changes

Changes executed in version 2.0:

Section 1: UFI

Section 2: Hazard(s) Identification

Section 3: Composition/Information on Ingredients

Section 9: Physical and Chemical Properties

Section 11: Toxicological Information

Section 12: Ecological Information (non-mandatory)

Section 14: Transport Information (non-mandatory)

Section 15: Regulatory Information (non-mandatory)

General revision

### 16.2 Abbreviations and acronyms

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC<sub>50</sub> = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC<sub>50</sub> = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC<sub>50</sub> = Lethal concentration, 50%

LD<sub>50</sub> = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Content

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Content

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 6 Dec 2024

Print date: 6 Dec 2024

Version: 2.0



Page 10/10

## Blacking Gel Antik Black

### 16.3 Key literature references and sources for data

European Chemicals Agency (ECHA): <https://www.echa.europa.eu>

ECHA, C&L Inventory: <https://echa.europa.eu/information-on-chemicals/cl-inventory-database>

ECHA, Registered substances: <https://echa.europa.eu/information-on-chemicals/registered-substances>

GESTIS, Information system on hazardous substances: <https://www.gestis.dguv.de/search>

GESTIS, International Limit Values: <https://limitvalue.ifa.dguv.de>

Hörath Gefährliche Stoffe und Gemische, 8. Auflage, Dr. Angela Schulz

Safety data sheets of the manufacturers

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment ( <i>Aquatic Chronic 2</i> )	H411: Toxic to aquatic life with long lasting effects.	Calculation
Corrosive to metals ( <i>Met. Corr. 1</i> )	H290: May be corrosive to metals.	Calculation
Acute toxicity (oral) ( <i>Acute Tox. 4</i> )	H302: Harmful if swallowed.	Calculation

### 16.5 List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### 16.6 Training advice

No data available.

### 16.7 Additional information

The information in this safety data sheet has been established to our best knowledge and was up-to-date at time of revision. The information is intended to give you advice about the safe handling of the product for storage, processing, transport and disposal. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.