Revision: 18.01.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2023

Version number 4.0 (replaces version 3.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: Buchenholzteer

· Article number: 590201, 590202, 590204, 590280, 590200

· CAS Number: 91722-33-7 · EC number: 294-436-0

· Registration number 01-2119999006-29-XXXX

- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Article category AC30 Other articles with intended release of substances
- · Application of the substance / the mixture attractant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

EUROHUNT GmbH Harzblick 25 D-99768 Harztor

Tel.: +49 (0)36331/5054-0 Fax: +49 (0)36331/5054-22

Email: info@eurohunt.de

- · Informing department: Product safety department
- 1.4 Emergency telephone number:

Emergency control center for poisoning cases Berlin +49 (0) 30 30 686 790 (German and English)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

H315 Causes skin irritation. Skin Irrit. 2

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1B H317 May cause an allergic skin reaction.

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

Tar, wood

· Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

Printing date 19.01.2023 Version number 4.0 (replaces version 3.0) Revision: 18.01.2023

Trade name: Buchenholzteer

(Contd. of page 1)

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves / eye protection / face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Labelling of packages where the contents do not exceed 125 ml

Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining components of labelling:

Tar, wood

· Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Substances

· CAS No. Designation:

91722-33-7 Tar, wood

- · Identification number(s):
- **EC number:** 294-436-0

ΕU

Printing date 19.01.2023 Version number 4.0 (replaces version 3.0) Revision: 18.01.2023

Trade name: Buchenholzteer

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation

Take affected persons into fresh air and keep at rest.

Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, Foam, Fire-extinguishing powder.

Water spray

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin.

Wear protective clothing.

Ensure adequate ventilation

- For non-emergency personnel Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable containers.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 19.01.2023 Version number 4.0 (replaces version 3.0) Revision: 18.01.2023

Trade name: Buchenholzteer

See Section 13 for information on disposal.

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers:

Store cool and dry in tightly closed receptacles.

Store only in the original receptacle.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Do not store together with alkalis (caustic solutions).

· Further information about storage conditions:

Keep container tightly sealed.

Storage between 7 and 21 °C.

- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

(Contd. on page 5)

Printing date 19.01.2023 Version number 4.0 (replaces version 3.0) Revision: 18.01.2023

Trade name: Buchenholzteer

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Tightly sealed safety glasses.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:
Fluid
Dark brown
Characteristic
Not determined.
-32.9-22 °C

· Boiling point or initial boiling point and

boiling range Not determined Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

Flash point: 92 °C
 Ignition temperature: 440 °C
 Decomposition temperature: 171 °C

· **pH** Not applicable.

Not determined.

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

·Solubility

• Water at 20 °C: 0.044-0.569 g/l (OECD 105)

· Partition coefficient n-octanol/water (log

value) 0.3-2.022 log POW

· Vapour pressure at 20 °C: 10.93 hPa

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 1.19-1.3 g/cm³
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Viscous

· Important information on protection of health

and environment, and on safety.

• Explosive properties: Product is not explosive.

· Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard

classes

· Explosives Void

· Flammable gases Void

· Aerosols Void

· Oxidising gases Void

· Gases under pressure Void

(Contd. on page 6)

Printing date 19.01.2023 Version number 4.0 (replaces version 3.0) Revision: 18.01.2023

Trade name: Buchenholzteer

		(Contd. of page 5)
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with oxidising agents.

Reacts with strong alkali.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

91722-33-7 Tar, wood

Oral LD50 >2,000 mg/kg (Rat)

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

Substance is not listed.

ΕU

Printing date 19.01.2023 Version number 4.0 (replaces version 3.0) Revision: 18.01.2023

Trade name: Buchenholzteer

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
91722-33-7 Tar, wood		
EC50 (48 h)	28 mg/l (Daphnia magna STRAUS)	
LC50 (96 h)	45 mg/l (Oncorhynchus mykiss) (OECD TG 203)	
ErC50 (72 h)	17 mg/l (Desmodesmus subspicatus)	
NOEC (48 h)	20 mg/l (Daphnia magna STRAUS)	
NOEC (6 d)	3 mg/l (Desmodesmus dubspicatus)	

12.2 Persistence and degradability

91722-33-7 Tar, wood

Biological degradability 60 % /10 d (OECD 301B)

· 12.3 Bioaccumulative potential

Log Kow 0.3-2.022

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The waste code numbers mentioned are recommendations based on the probable use of the product.

· European waste catalogue

16 03 05* organic wastes containing hazardous substances

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR/RID/ADN. ADN. IMDG. IATA Void
- · 14.2 UN proper shipping name
- · ADR/RID/ADN, ADN, IMDG, IATA Void

(Contd. on page 8)

Printing date 19.01.2023 Version number 4.0 (replaces version 3.0) Revision: 18.01.2023

Trade name: Buchenholzteer

		(Contd. of page 7
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according IMO instruments	y to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

Substance is not listed.

- REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing data specification sheet:

The safety data sheets were drawn up in cooperation with the Umweltkanzlei Dr.Rhein Beratungsund Prüfgesellschaft mbH, Phone: +49 511 228514-0.

- · Version number of previous version: 3.0
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 9)

Printing date 19.01.2023 Version number 4.0 (replaces version 3.0) Revision: 18.01.2023

Trade name: Buchenholzteer

(Contd. of page 8)

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1B: Skin sensitisation - Category 1B

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.